



Coopérative Essaada,
Zhun Aissat Moustapha REGHAIA,
Alger - Algérie

ghecham@codin-consulting.com

www.codin-consulting.net

Tél : 00 (213) 666 931 900

Tél. : 00 (213) 557 239 211

PROFORMA INVOICE

SUBJECT : SESA 2800 mm x 1350 mm Three Colours Flexo Printing, Slotter, Rdc, Folder Gluer and Counter Ejector machine (INLINE MACHINE).

ORIGIN : Turkey



TECHNICAL CHARACTERISTICS:

Max. working size : 2800 mm x 1350 mm Serial, 2800 mm x 1700 mm Skip Feed
Min. working size : 500 mm x 350 mm
Max. printing area : 2600 mm x 1350 mm
Max. die cutting area : 2800 mm x 1350 mm
Max. capacity : 150 ea./min
Settings : PLC system- 100-pcs memory

FEEDING UNIT

- PLC Control, Automatic Adjustment, Touch Screen HMI.
- Auto Return to Zero.
- Lead Edge Feeder.(Sun Auto Type)
- Skip Feed and Feed Interrup Capability.

**SARL CODIN Conseils pour le Développement de l'Industrie Coopérative Essaada,
Zhun Aissat Moustapha REGHAIA Alger email : ghecham@codin-consulting.com**

T 00 (213) 666 931 900 T 00 (213) 557 239 211

www.codin-consulting.net

- Frequency Inverter Driven Vacuum feeder
- Manual Adjustment on Side Guider.
- Motor Adjustment on Back and Forward, Up and Down Movement of Back Baffle Board.
- Motor Adjustment on Opening and Closing of Unit.

THREE COLOURS TOP PRINTING UNIT

- PLC Control, Automatic Adjustment
- Auto Return to Zero.
- Motor Adjustment on Printing Cylinders Axial Movement.
- Laser Engraved Steel Anilox Roll
- Registry Accuracy +/- 1mm.
- Auto Split and Run of Anilox Cylinder from Printing Cylinder when the Machine Stop.
- Top Print.
- Printing Cylinder with Acetate.
- Printing Cylinder and All Shafts are Coated with Hard Chrome.
- Axial Movement Range: +/- 10mm.
- Printing Plate Thickness: 5,5 mm.
- Fine Tuning of Cardboard Thickness with Reductor and Displayer.
- Pneumatic Diaphragm Pump.
- Hardness of Gears: About 58 HRC.
- With Pneumatic Locking of Unit.

SLOTING CREASING UNIT

- PLC Control, Automatic Adjustment, Touch Screen HMI.
- Auto Return to Zero.
- Auto Phase Adjustment.
- Automatic Adjustment on Slotting Blades and Rill Axial Movement.
- Moveable Center Slotting Blade for Flexible Box Design.
- Single-Shaft Slotting.
- Fine Tuning of Cardboard Thickness with Reductor and Displayer.
- All Shafts are Coated with Hard Chrome.
- Flap Blade with Spring.

ROTARY DIE CUTTER UNIT

- Auto Return to Zero.
- Auto Phase Adjustment
- Konveyör paper scrap
- Servo driver system (Lenze Marc)

FOLDER GLUER UNIT

- PLC Control, Automatic Adjustment, Touch Screen HMI.
- Down Folding with Full Length Vacuum Belts to Maintain Square Folded boxes at High Speed.
- Frequency Inverter Driven Vacuum Folding Belts.
- Roll Glue System.

COUNTER EJECTOR UNIT

- PLC Control, Automatic Adjustment, Touch Screen HMI.
- Under Stacking Counter Ejector.
- PLC-Controlled Pneumatic Counter and Pusher System, Accurate.
- Pneumatic Bundle Lifter for a Perfect Bundle.
- Valco design spray glue system

PRICE OF MACHINE : 269.500. USD , F.O.B. / ISTANBUL
PAYMENT : %100 L/C
(% 30 Down payment , % 65 Delivery, %5 Mach.Start)

SARL CODIN Conseils pour le Développement de l'Industrie Coopérative Essaada,
 Zhun Aissat Moustapha REGHAIA Alger email : ghecham@codin-consulting.com

T 00 (213) 666 931 900 T 00 (213) 557 239 211

www.codin-consulting.net

TIME OF DELIVERY : **120 DAYS**
GUARANTY : **1 YEAR**
General Menager