



Coopérative Essaada,
Zhun Aissat Moustapha REGHAIA,
Alger - Algérie

ghecham@codin-consulting.com

00 (213) 666 931 900

00 (213) 557 239 211

POTATO CHIPS PRODUCTION LINE

Capacity: : 1000 kg / sH. Potato

Equipments:

1. Feeding Conveyor
2. Washing and Peeling
3. Conveyor Belt
4. Chopping
5. Taking starch
6. Drying with Fan
7. Conveyor Belt
8. Frying
9. Drying tunnel with fan
10. Seasoning
11. Hot Oil Boiler
12. Electrical Panel

Technical Specifications:

Feeding Conveyor :

- 304 inox material
- Material thickness 2.5 mm
- 250 cm length
- With Hopper
- Motor power: 0.75 kw
- Pvc food tape
- Speed controlled

Washing and Peeling

- 304 inox material
- Material thickness 2.5 - 6 mm
- 200 cm length, 90 cm width, 150 cm height
- Brushed system
- Total engine power 3.5 kw
- Mounting conveyor
- Speed controlled

Chopping

- 304 inox material
- Material thickness 2.5 -6 mm
- Thickness adjusted
- Different sizes of products can be chopped
- 100 cm length, 100 cm width, 150 cm height

-Motor power: 2.2 kw

Taking starch

- 304 inox material
- Material thickness 2.5 mm
- 150 cm length, 100 cm width 130 cm height
- Drum and water system
- Motor power: 0.75 kw
- Speed controlled

Conveyor Belt

- 304 inox material
- Material thickness 2.5 mm
- Pvc food tape
- 250 cm length
- Motor power 0.75 kw

Drying with Fan

- 304 inox material
- Material thickness 2.5 mm
- Blower system
- 300 cm length 60 cm width, 70 cm height
- Motor power 1.1 kw

Frying

- 304 inox material
- Material thickness 2.5 mm
- With Jacjet
- 60 cm width, 300 cm length, 90 cm height
- Motor power: 1.1 kw -
- 304 inox wire belt conveyor
- Speed controlled
- With paddlebox
- With Aspitor
- Safety

Drying tunnel with fan

- 304 inox material
- Material thickness 2.5 mm,
- 40 cm width, 300 cm length, 100 cm height
- Fiber system
- Total motor power of 2.2 kw
- 280 degree resistant food belt

Seasoning

- 304 inox material
- Material thickness 2.5 mm
- Drum type
- 150 cm length, 100 cm width, 150 cm height
- Motor power 2.2 kw
- Automatic feeding
- Speed controlled

Hot Oil Boiler

- 200,000 kcal / h
- Natural gas (optional)
- Safety valve
- Double walled
- With thermostat
- 110 cm width, 200 cm length, 200 cm height
- Expansion Tank

Electrcial Panel

- Central system
- Safety
- Integrated

Notice:

- Codex Alimentarius is suitable to manufacture our machines Turkey
- Easy to clean hygienic design.
- Simple and convenient operator panel.
- Easy and trouble-free maintenance and facilities

INSTALLATION COST (TWO WAY FLIGHT TICKETS + ACCOMODATION AND FOODS EXCLUDED AND THESE CHARGES PAID BY BUYER)

TOTAL AMOUNT EXW .Eskişehir./ Turkey; **478 000 €**

Delivery Time : will be determined together during order

Warranty: :1 year